

# BROKEN LATTICE

# BROKEN LATTICE

A Pre-Cut Friendly Beginner Quilt

PDF

## FABRIC REQUIREMENTS

	Throw Size 54 1/2" x 63 1/2"
Print Fabrics	1 Layer Cake, or 42 10" squares
Background Fabric	1 1/2 yards
Backing	3 1/2 yards
Batting	60" x 70"
Binding	1/2 yard

### BEFORE YOU BEGIN:

1. Read the instructions carefully before starting.
2. All seam allowances are a scant 1/4", meaning just under 1/4" to account for folds at the seam.
3. RST = Right Sides Together.
4. WOF = Width of Fabric, which for this pattern, is assumed to be 42" wide.
5. Backing is assumed to be placed with the seam running along the width of the quilt.



HELLO *Melly* DESIGNS

#114

HELLO *Melly* DESIGNS


#114

# CUTTING INSTRUCTIONS


From background fabric, cut 11 strips 4 1/2" x WOF. Sub-cut into (84) 4 1/2" squares.

## BLOCK ASSEMBLY


1. From the Layer Cake stack, take 3-4 squares and, while keeping them stacked, cut the squares along the diagonal. Repeat for the entire Layer Cake stack, for a total of 84 triangles.



2. Take two triangles and place them RST. Sew along diagonal, and press open. Trim to 9 1/2" square.




3. With a pencil, draw a diagonal line on back of the 4 1/2" background squares. Place one background square on two opposite corners of the 9 1/2" square, over the seam. Sew along the marked line, and trim excess. Press open.



4. Arrange the final squares into rows, rotating 90 degrees each time. Arrange in seven rows of six blocks each.


5. Sew blocks into rows, pressing rows in alternating directions. Sew rows together, matching seams. Press seams, and finish quilt as desired.



MAYBERRY 1

# FINISH THE QUILT

1. Cut the length of the quilt backing in half across the width, making two pieces. Trim the selvages, and sew RST along the trimmed edges.
2. Make a "quilt sandwich" by laying the backing Wrong Side Up, then the batting, and finally the assembled quilt top Right Side Up. Baste the layers together with spray adhesive or basting pins, and quilt as desired.
3. Trim extra batting and backing, and square up the quilt.
4. Prepare binding by cutting fabric into 2 1/2" strips. Sew strips end to end to make a long, continuous strip. Iron strip in half length-wise, and sew raw binding edge to the raw edge of the quilt using a 1/4" seam allowance. Use the diagram below for assistance with corners.
5. Fold the binding to back of the quilt and sew the folded binding edge to the quilt, covering the stitch line.



## SHARE YOUR QUILT!

I want to see your quilt! You can e-mail me a photo at [hellomellydesigns@gmail.com](mailto:hellomellydesigns@gmail.com) or tag me on Instagram with [@hellomellydesigns](https://www.instagram.com/hellomellydesigns) and [#BrokenLatticeQuilt](https://www.instagram.com/hashtag/BrokenLatticeQuilt).